



3275 Dixie Highway NE, Palm Bay, FL 32905  
Tel: 321-725-7775 Fax: 321-725-3554 E-mail: lagoonwatch@mrcirl.org  
Website: www.mrcirl.org

## A Welcome to Prospective Water Monitors

Thank you for your interest in the *Indian River Lagoonwatch* volunteer water quality monitoring program! You would be joining more than 90 other individuals who dedicate about an hour or so each week because they also love the Indian River Lagoon and want to see it, one day, restored to the way it once was, crystal clear and teeming with life. When you join the *Indian River Lagoonwatch*, however, you also undertake a responsibility, not only for the testing equipment we supply, but also to participate in generating the data that is used to make real management decisions on the future of the lagoon. We really do rely on our monitors to do sampling on a weekly basis (vacations aside) for at least one year and report their results directly on the MRC website.

Volunteering to become a water quality monitor involves an ongoing commitment. It is not for everyone. It is not suitable for just making up community service hours or as a science fair project alone. We have high expectations of our monitors. Some individuals have been monitoring since 1992, although we do not expect this sort of long-term commitment from everyone.

We train you to generate quality-assured scientific data and provide you with the equipment to do so. It naturally means you become involved in the overall efforts of the organization and so promote its values and mission. That is why, if you do become a monitor, we also ask you to join us as a member of the MRC so you can be kept apprised of developments, get our regular newsletters and **BE INVOLVED** in the overall lagoon protection and restoration efforts of the organization.

Enclosed, you will find the following:

- An *Indian River Lagoonwatch* Fact Sheet
- A Volunteer Monitoring Application

If you would like to apply, please fill out the form and mail it or e-mail it back to us. Recognize that we have limited resources ourselves and cannot possibly use everyone who applies right away, especially if we have good coverage of the lagoon in your area. If that happens, please let us know by ticking the box on the form if you want to get on the waiting list for your area.

**Please note that as a cost reduction measure and to enhance communication, we now require all new monitors to have e-mail and Internet access, either at home, at work or via the local public libraries, which are now well supplied with Internet computers.**

If you have any questions, please feel free to call me at 321-725-7775. I generally work part-time Monday, Wednesday and Friday mornings.

Gerald Rosebery, Ph.D.  
Chief Chemist

# Marine Resources Council

## INDIAN RIVER LAGOONWATCH FACT SHEET

### Water Quality Testing Program

The Indian River Lagoon, stretching 156 miles from Ponce Inlet to Jupiter Inlet, is one of the most diverse estuaries in North America. It is home to more than 4,000 plant and animal species and one-third of the manatee population in the United States. The natural beauty of the Indian River resulted in the lagoon being designated an "estuary of national significance" in 1989.

The Indian River region is also one of the fastest growing areas in Florida in terms of human development. This rapid growth has resulted in increased urban and agricultural runoff resulting in degradation of water quality within the lagoon. This decline in water quality has led to a corresponding decline in habitat for species living in and around the lagoon.

The *Indian River Lagoonwatch* is part of an overall approach to assess trends and changes in the water quality of the Indian River Lagoon. The program was established in 1989 by the Marine Resources Council, in cooperation of the Florida Department of Environmental Regulation. It is now supported by the Indian River Lagoon Program and the US EPA. The primary goal is to provide the agencies involved in regulating the lagoon with data of known quality for determining long-term seasonal and temporal trends in water quality. The data augment existing "official" monitoring programs by providing data from remote geographic areas of the lagoon and from selected tributaries not routinely monitored. Volunteers also provide more frequent sampling of a larger number of stations to establish response and lag times or to capture short-lived events such as storms. Regulatory changes are currently being imposed to reduce storm water runoff and have already largely eliminated treated sewage discharges to the Indian River Lagoon. Volunteer monitors can document the affect of these changes on the water quality. In addition, a program utilizing citizen volunteers can increase public awareness of water quality problems and aid the general public in gaining knowledge of how water quality problems are identified and addressed.

We have shown over many years that trained citizen volunteers can obtain water quality data that is as precise as that provided by professional organizations. Volunteer monitors will be limited only by the analytical methodology available to them. The Marine Resources Council is dedicated to the success of the *Indian River Lagoonwatch*.

#### What the Water Quality Tests Tell

**Temperature** is one of the more important parameters to be considered when examining water quality. Many biological, physical and chemical parameters are dependent on temperature and it can dramatically affect the rates of chemical and biological reactions. Some of the more common things which temperature

can have an affect upon are: the solubility of chemical compounds in water, the distribution and abundance of organisms, the rate of growth of biological organisms, water density, mixing of water of different densities and current movements. The amount of oxygen that can dissolve in water is dependent upon temperature. The solubility of oxygen decreases as the temperature of the water increases. Temperature, specific gravity, and salinity are also intimately interrelated. For a body of water of given salinity, as the temperature of the water decreases, the specific gravity will increase and the water becomes more dense. Conversely, as the water warms up, the water will expand and the specific gravity will decrease. This can be an important consideration in evaluating the mixing of waters of different densities. Some of these affects are critical in the Indian River Lagoon, others less so

The Indian River Lagoon is generally shallow. Its capacity to store heat over time, therefore, is relatively small. The water temperature of the lagoon will rise sharply during the summer and decrease markedly during the winter. Wind action serves as the most important mixing phenomenon in the lagoon, because it is so shallow. As a consequence, temperatures at the surface and at the bottom tend to be very similar. However, the variance from winter to summer has a profound affect on biological processes in the lagoon.

**Salinity** is the concentration of salt dissolved in water. It is normally expressed in parts per thousand or the grams of salt per 1000 grams of water sample (ppt, ‰). In a water body influenced by the ocean, such as the Indian River Lagoon, most of the dissolved salt in the water is due to only a handful of sea salt components.

Freshwater contains few salts and thus has low salinity. Drinking water has a Florida DEP limit of sodium chloride salinity of less than 0.5 ppt (410 ppm). Sea water, on the other hand, has an average salinity of 35 ppt (equivalent to about 5 oz. of salt in 1 gallon of water). The Indian River Lagoon is a site of mixing for freshwater and sea water. Since sea water enters the Indian River Lagoon at the inlets, the salinity is usually highest at those points and decreases as one moves away from the inlets toward the freshwater inputs. The salinity of the lagoon will thus normally vary between 0 and 35 ppt. Since sea water has an average salinity of 35 ppt, on a given day in the lagoon, it is possible to measure a salinity greater than 35. This is because, in some areas, evaporation is a major controlling force for salinity. There is also a trend of increasing salinity at times of the year when little or no rainfall is occurring. One important aspect of salinity is the density difference it causes. Seawater has a higher density than fresh water due to the dissolved salt. Near the mouth of tributaries, such as the Sebastian River, the lighter fresh water of the river will remain at the surface and flow right over the top of



the denser saline water, which tends to remain near the river bottom. These waters will ultimately mix, but where that mixing occurs will depend on tides, winds and the volume of freshwater. Immediately after heavy rainstorms, the head of freshwater will push farther out into the lagoon and can cause decreases in the overall salinity in the lagoon.

Probably the most important aspect of salinity with regards to water quality is its affect on aquatic organisms inhabiting the Indian River Lagoon. Salinity changes can affect the well being and distribution of biological populations. Large freshwater inputs, particularly after rainstorms, can severely hurt clam populations, causing clams to die as well as having adverse affects on growth and spawning. This can cause a severe impact on the clam industry in the Indian River Lagoon.

**Dissolved oxygen (DO)** is one of the most important indicators of water quality. It is essential for the survival of fish and other aquatic organisms that inhabit the Indian River Lagoon. Oxygen dissolves in surface water due to the aerating action of winds. Oxygen may also be introduced into the water as a by-product of plant photosynthesis. When levels of dissolved oxygen become too low, fish and many other aquatic organisms cannot survive.

The dissolved oxygen test tells how much oxygen is dissolved in the water. However, it does not tell you how much oxygen the water is capable of dissolving at the temperature at which it was measured. When water dissolves all of the oxygen it is capable of holding at a given temperature, the water is said to be 100% saturated. The colder the water is, the greater the amount of oxygen the water can hold. As the water becomes warmer, less oxygen can dissolve in the water. Salinity is also an important factor in determining the amount of oxygen that a body of water can hold. As the amount of dissolved salt in water increases, the amount of oxygen the water can hold decreases. Conversely, as the water becomes more fresh (has lower salinity), more oxygen can be dissolved.

Reduced dissolved oxygen levels are a recurring problem in the Indian River Lagoon. Excessive amounts of nutrients from septic systems or fertilizer are introduced to the lagoon by non-point source septic tank effluent and storm water runoff. This can result in an excessive growth of algae. After the algae complete their life cycle and die, bacteria consume the dead algae. During this decay process, the bacteria also consume the oxygen dissolved in the water. This consumption of oxygen by bacteria can lead to decreases in levels of dissolved oxygen and in some cases can completely strip the water of all dissolved oxygen. This decrease in dissolved oxygen can cause fish kills and death to other aquatic organisms and can cause bad odors; for example, the sulfide odor typical of many areas of the Indian River Lagoon at certain times of the year.

**Water clarity** is influenced by material that becomes mixed or suspended in water will cause the water to become more turbid and reduce the clarity of the water. Many factors can contribute to decreasing water clarity. During periods of high rain and heavy runoff, silt and sand washed from streets, yards, and construction sites can be carried to the Indian River Lagoon, decreasing water clarity. In shallow areas, winds and boat activity may stir up bottom sediments, contributing to decreased water clarity.

Decreases in water clarity can have a profound affect on penetration of sunlight below the surface of the water. Plants need sunlight in order for photosynthesis to occur. Those plants, which live on the bottom, principally sea grasses, can be particularly affected by reduced penetration of sunlight. If light levels become too low, photosynthesis may stop altogether and the plants will die. This has been a severe problem in many areas of the Indian River Lagoon where decreases in water clarity have completely cut off sunlight to some sea grass beds, causing them to die.

Large amounts of suspended material can also affect other aquatic organisms. Aquatic plants, such as sea grass, produce oxygen for fish and other aquatic life, as well as provide food, shelter, nurseries and habitat. Less sea grass, in turn, means less habitat for other organisms such as fish and shellfish. Large amounts of suspended matter can also clog the gills of fish and shellfish and can potentially kill them directly. The suspended matter also provides a substrate on which micro-organisms can grow. Fish may have trouble finding food in highly turbid water. However, high turbidity may make it easier for smaller fish to hide from predators.

The Secchi disk provides a convenient method for measuring the penetration of light below the surface of the water and thus the limit of visibility of the water. The disk is lowered into the water until it can no longer be seen by an observer at the surface. As the amount of suspended matter in the water decreases, the deeper you will be able to lower the Secchi disk before it is no longer visible. Shallow Secchi disk readings will occur at times when large amounts of suspended matter are present.

**pH** is an important water quality parameter. The pH affects the solubility of minerals in water. Human activities including chemical spills, agricultural runoff, sewage effluent and soil leaching can all affect the pH of the water. The solubility of trace metals, some of which can be toxic, are affected by changes in pH, generally becoming more soluble as the pH decreases.

The buffering capacity of water or its ability to resist changes in pH is critical to aquatic life. The ability of aquatic organisms to survive greatly diminishes as the pH falls below 5 or increases above 9. Fluctuations in pH can also have adverse affects on other organisms. As the pH decreases to 6 or less, reductions in species numbers can occur and the ability to reproduce can be adversely affected. When the pH drops to 5 or less, species numbers and diversity will be significantly reduced with some species of fish suffering large mortalities. Below a pH of 4, most species of fish are totally eliminated.

The pH in freshwater portions of the Indian River Lagoon where the water is not substantially buffered, the pH may sometimes be as low as 6. In the higher salinity areas of the lagoon where the water is buffered because of the influence of sea water, the pH will be higher with values of around 8.



3275 Dixie Highway NE, Palm Bay, FL 32905  
Tel: 321-725-7775 Fax: 321-725-3554 E-mail: lagoonwatch@mcirl.org  
Website: www.mrcirl.org

## INDIAN RIVER LAGOONWATCH Volunteer Monitoring Application

This form is an application and you will be contacted by MRC about current monitor coverage in your area and whether or not we have an immediate need for new monitors in your area. If we happen to be fully staffed in your area, please check the box at the bottom of the form if you would like to be contacted later when an opening occurs.

Thank you for your interest in becoming a volunteer member of the *Indian River Lagoonwatch!* If you are selected, you will be trained in the use of test kits, with which you will measure salinity, dissolved oxygen, pH, water and air temperature and water clarity. Because the program runs under a Comprehensive Quality Assurance Plan, you would also be **required** to participate in one annual field quality control check (conveniently conducted about once a month in varying locations) and also to test, monthly, at home, one unknown quality control sample provided to you by the MRC. Water testing would be expected to begin within one week of training.

(\* = Required Information)

\*Volunteer Name(s): \_\_\_\_\_

\*Street Address (no P.O. Boxes): \_\_\_\_\_

\*City & Zip: \_\_\_\_\_ Florida County: \_\_\_\_\_

\*Home Phone: \_\_\_\_\_ Work Phone: \_\_\_\_\_

\*E-mail address (**essential**): \_\_\_\_\_

\*Best Monitoring Area: \_\_\_\_\_

Please place my name on a waiting list if my area is now being adequately monitored.  Yes  No

**I acknowledge and understand my responsibilities as a prospective member of the *Indian River Lagoonwatch.* (If a monitor is under 18, this form must be co-signed by an adult.)**

\_\_\_\_\_  
\*Signature(s)

\_\_\_\_\_  
Date

Send completed forms by mail to the MRC office (address above) or via e-mail to the e-mail listed.

January, 2005